






NOTE:

1, DESCRIPTION
01 SFP CAGE
02 SFP EMI SPRING

2, TEMPERATURE:
OPERATION: -40°C~+85°C
STORAGE: -55°C~+105°C


Q'ty MATERIAL PLATING
1PCS COPPER ALLOY T=0.25 N/A
4PCS COPPER ALLOY T=0.08 Ni FOR ALL



Champyang International Ltd., Co

A0	RELEASED	Allen	2026-05-27
REV	DESCRIPTION.	APPD.	Date


FILE NO : ASP02 (Series)		TITLE 圖 名		SFP+ 1X1 CAGE WITH EMI CLIP		UNIT 單位	mm inch
TOLERANCE(公差): 0.000 mm ± 0.10 mm 0.00 mm ± 0.25 mm 0.0 mm ± 0.30 mm		PART NO. 料 號		ASP02-641101H-B-H		SCALE 比例	1 : 1
		DRAWN BY 製 圖		Ray	DATE 日 期	2026-05-27	REV. 版本
		CHECKED BY 審 核		Allen	DATE 日 期	2026-05-27	



Champyang International Ltd., Co

A0	RELEASED	Allen	2026-05-27
REV	DESCRIPTION.	APPD.	Date

FILE NO : ASP02 (Series)		TITLE 圖 名		SFP+ 1X1 CAGE WITH EMI CLIP		UNIT 單位	mm inch
TOLERANCE(公差) : 0.000 mm ± 0.10 mm 0.00 mm ± 0.25 mm 0.0 mm ± 0.30 mm		PART NO. 料 號		ASP02-641101H-B-H		SCALE 比例	1 : 1
		DRAWN BY 製 圖		Ray	DATE 日 期	2026-05-27	REV. 版本
		CHECKED BY 審 核		Allen	DATE 日 期	2026-05-27	



Champyang International Ltd., Co

A0	RELEASED	Allen	2026-05-27
REV	DESCRIPTION.	APPD.	Date

FILE NO : ASP02 (Series)		TITLE 圖 名		SFP+ 1X1 CAGE WITH EMI CLIP		UNIT 單位	mm inch
TOLERANCE(公差): 0.000 mm ± 0.10 mm 0.00 mm ± 0.25 mm 0.0 mm ± 0.30 mm		PART NO. 料 號		ASP02-641101H-B-H		SCALE 比例	1 : 1
		DRAWN BY 製 圖		Ray	DATE 日 期	2026-05-27	REV. 版本
		CHECKED BY 審 核		Allen	DATE 日 期	2026-05-27	