





NOTES:


- 1.MATERIAL:  
CAGE: COPPER ALLOY, THICKNESS 0.25mm  
LIGHT PIPE: CLEAR POLYCARBONATE  
2.PACKAGING: TRAY PACKAGING  
3.TEMPERATURE RANGE:  
OPERATING : -40°C TO +85°C  
NON OPERATING : -55°C TO +105°C





Champyang International Ltd., Co

|     |              |       |            |
|-----|--------------|-------|------------|
|     |              |       |            |
|     |              |       |            |
|     |              |       |            |
| A0  | RELEASED     | Allen | 2026-05-27 |
| REV | DESCRIPTION. | APPD. | Date       |


|                                                                               |  |                   |  |                              |             |             |            |
|-------------------------------------------------------------------------------|--|-------------------|--|------------------------------|-------------|-------------|------------|
| FILE NO : ASP02 ( Series)                                                     |  | TITLE<br>圖 名      |  | SFP+ 1x4 CAGE PRESS FIT 帶導光柱 |             | UNIT<br>單位  | mm<br>inch |
| TOLERANCE(公差):<br>0.000 mm ± 0.10 mm<br>0.00 mm ± 0.25 mm<br>0.0 mm ± 0.30 mm |  | PART NO.<br>料 號   |  | ASP02-6414101YL-B-H          |             | SCALE<br>比例 | 1 : 1      |
|                                                                               |  | DRAWN BY<br>製 圖   |  | Ray                          | DATE<br>日 期 | 2026-05-27  | REV.<br>版本 |
|                                                                               |  | CHECKED BY<br>審 核 |  | Allen                        | DATE<br>日 期 | 2026-05-27  |            |



RECOMMENDED BEZEL DESIGN  
SINGLE SIDED APPLICATIONS



RECOMMENDED BEZEL DESIGN  
BELLY TO BELLY APPLICATIONS





Champyang International Ltd., Co

|     |              |       |            |
|-----|--------------|-------|------------|
|     |              |       |            |
|     |              |       |            |
|     |              |       |            |
| A0  | RELEASED     | Allen | 2026-05-27 |
| REV | DESCRIPTION. | APPD. | Date       |

|                                                                               |  |                   |  |                              |             |             |            |
|-------------------------------------------------------------------------------|--|-------------------|--|------------------------------|-------------|-------------|------------|
| FILE NO : ASP02 ( Series)                                                     |  | TITLE<br>圖 名      |  | SFP+ 1x4 CAGE PRESS FIT 帶導光柱 |             | UNIT<br>單位  | mm<br>inch |
| TOLERANCE(公差):<br>0.000 mm ± 0.10 mm<br>0.00 mm ± 0.25 mm<br>0.0 mm ± 0.30 mm |  | PART NO.<br>料 號   |  | ASP02-6414101YL-B-H          |             | SCALE<br>比例 | 1 : 1      |
|                                                                               |  | DRAWN BY<br>製 圖   |  | Ray                          | DATE<br>日 期 | 2026-05-27  | REV.<br>版本 |
|                                                                               |  | CHECKED BY<br>審 核 |  | Allen                        | DATE<br>日 期 | 2026-05-27  |            |

RECOMMENDED PCB CONFIGURATION  
WITH KEEP-OUT AREAS  
SINGLE SIDED APPLICATIONS



DETAIL H  
RECOMMENDED CONNECTOR LAYOUT  
4X INDIVIDUALLY




CROSS-HATCHED AREA DENOTES  
COMPONENT AND TRACE KEEP-OUT  
(EXCEPT CHASSIS GROUND)



Champyang International Ltd., Co

|     |              |       |            |
|-----|--------------|-------|------------|
|     |              |       |            |
|     |              |       |            |
|     |              |       |            |
| A0  | RELEASED     | Allen | 2026-05-27 |
| REV | DESCRIPTION. | APPD. | Date       |

|                                                                               |  |                   |  |                              |             |             |            |
|-------------------------------------------------------------------------------|--|-------------------|--|------------------------------|-------------|-------------|------------|
| FILE NO : ASP02 ( Series )                                                    |  | TITLE<br>圖 名      |  | SFP+ 1x4 CAGE PRESS FIT 帶導光柱 |             | UNIT<br>單位  | mm<br>inch |
| TOLERANCE(公差):<br>0.000 mm ± 0.10 mm<br>0.00 mm ± 0.25 mm<br>0.0 mm ± 0.30 mm |  | PART NO.<br>料 號   |  | ASP02-6414101YL-B-H          |             | SCALE<br>比例 | 1 : 1      |
|                                                                               |  | DRAWN BY<br>製 圖   |  | Ray                          | DATE<br>日 期 | 2026-05-27  | REV.<br>版本 |
|                                                                               |  | CHECKED BY<br>審 核 |  | Allen                        | DATE<br>日 期 | 2026-05-27  |            |




Champyang International Ltd., Co


|     |              |       |            |
|-----|--------------|-------|------------|
|     |              |       |            |
|     |              |       |            |
|     |              |       |            |
| A0  | RELEASED     | Allen | 2026-05-27 |
| REV | DESCRIPTION. | APPD. | Date       |

|                                                                               |  |  |                   |                              |             |            |                                                                                       |            |
|-------------------------------------------------------------------------------|--|--|-------------------|------------------------------|-------------|------------|---------------------------------------------------------------------------------------|------------|
| FILE NO：ASP02 ( Series)                                                       |  |  | TITLE<br>圖 名      | SFP+ 1x4 CAGE PRESS FIT 帶導光柱 |             |            | UNIT<br>單位                                                                            | mm<br>inch |
| TOLERANCE(公差):<br>0.000 mm ± 0.10 mm<br>0.00 mm ± 0.25 mm<br>0.0 mm ± 0.30 mm |  |  | PART NO.<br>料 號   | ASP02-6414101YL-B-H          |             |            | SCALE<br>比 例                                                                          | 1：1        |
|                                                                               |  |  | DRAWN BY<br>製 圖   | Ray                          | DATE<br>日 期 | 2026-05-27 | REV.<br>版 本                                                                           | A0         |
|                                                                               |  |  | CHECKED BY<br>審 核 | Allen                        | DATE<br>日 期 | 2026-05-27 |  |            |
|                                                                               |  |  |                   |                              |             |            |                                                                                       |            |


PACKAGE INFORMATION AND LABEL




1. PRODUCTS IN TRAYS



2. TRAYS OVERLAY:  
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)  
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

| PACKAGING LISTS       |             |
|-----------------------|-------------|
| ITEM                  | Q'TY        |
| PRODUCT               | 90 PCS      |
| TRAY                  | 5 PCS       |
| BOX(L340*W265*H200MM) | 1 PCS       |
| LABLE                 | 2 PCS       |
| PACKAGING TAPES       | 8 M (ABOUT) |



Champyang International Ltd., Co

|     |              |       |            |
|-----|--------------|-------|------------|
|     |              |       |            |
|     |              |       |            |
|     |              |       |            |
| A0  | RELEASED     | Allen | 2026-05-27 |
| REV | DESCRIPTION. | APPD. | Date       |

|                                                                               |  |                   |  |                              |             |             |            |
|-------------------------------------------------------------------------------|--|-------------------|--|------------------------------|-------------|-------------|------------|
| FILE NO : ASP02 ( Series)                                                     |  | TITLE<br>圖 名      |  | SFP+ 1x4 CAGE PRESS FIT 帶導光柱 |             | UNIT<br>單位  | mm<br>inch |
| TOLERANCE(公差):<br>0.000 mm ± 0.10 mm<br>0.00 mm ± 0.25 mm<br>0.0 mm ± 0.30 mm |  | PART NO.<br>料 號   |  | ASP02-6414101YL-B-H          |             | SCALE<br>比例 | 1 : 1      |
|                                                                               |  | DRAWN BY<br>製 圖   |  | Ray                          | DATE<br>日 期 | 2026-05-27  | REV.<br>版本 |
|                                                                               |  | CHECKED BY<br>審 核 |  | Allen                        | DATE<br>日 期 | 2026-05-27  |            |